

1     a)  $f(x) = -[x^2 - 4x] + 3$   
 $= -[(x-2)^2 - 4] + 3$   
 $= -(x-2)^2 + 7$

$\therefore a = -1, b = -2, c = 7$

b)  $(2, 7)$


c) intersect when

$$3 + 4x - x^2 = 3$$

$$x(4-x) = 0$$

$$x = 0, 4$$

area below curve



$$= \int_0^4 (3 + 4x - x^2) \, dx$$

$$= [3x + 2x^2 - \frac{1}{3}x^3]_0^4$$

$$= (12 + 32 - \frac{64}{3}) - 0 = \frac{68}{3}$$

area below line


$$= 4 \times 3 = 12$$

area between line and curve

$$= \frac{68}{3} - 12 = 10\frac{2}{3}$$

2     a)  $= [-4x^{-2}]_1^2$   
 $= -1 - (-4)$   
 $= 3$

b)  $y = 1 \Rightarrow x = 2$   
 $y = 8 \Rightarrow x = 1$



shaded area

$$= 3 - (1 \times 1) + (7 \times 1)$$

$$= 9$$

3     a)  $\frac{dy}{dx} = 5 - 4x$   
grad = 1  
 $\therefore$  grad of normal = -1  
 $\therefore y - 3 = -(x - 1)$   
 $[y = 4 - x]$

b) area below curve

$$= \int_0^1 (5x - 2x^2) \, dx$$

$$= [\frac{5}{2}x^2 - \frac{2}{3}x^3]_0^1$$

$$= (\frac{5}{2} - \frac{2}{3}) - 0 = \frac{11}{6}$$

normal meets y-axis at  $(0, 4)$

area below line

$$= \frac{1}{2} \times 1 \times (4 + 3) = \frac{7}{2}$$

shaded area

$$= \frac{7}{2} - \frac{11}{6} = \frac{5}{3}$$

4     a)  $\frac{4-x^2}{x^2} = 0$   
 $4 - x^2 = 0$   
 $x^2 = 4$   
 $x > 0 \therefore x = 2, P(2, 0)$

b) l:  $y - 0 = -3(x - 2)$   
 $y = 6 - 3x$

intersect when  $\frac{4-x^2}{x^2} = 6 - 3x$

$$4 - x^2 = 6x^2 - 3x^3$$

$$3x^3 - 7x^2 + 4 = 0$$

$x = 2$  is a solution  $\therefore (x-2)$  is a factor

$$(x-2)(3x^2 - x - 2) = 0$$

$$(x-2)(3x+2)(x-1) = 0$$

$$x = 2 \text{ (at } P), -\frac{2}{3}, 1$$

$x > 0 \therefore Q(1, 3)$

c) area below curve

$$= \int_1^2 (4x^{-2} - 1) \, dx$$

$$= [-4x^{-1} - x]_1^2$$

$$= (-2 - 2) - (-4 - 1) = 1$$

area below line

$$= \frac{1}{2} \times 1 \times 3 = \frac{3}{2}$$

area between line and curve

$$= \frac{3}{2} - 1 = \frac{1}{2}$$