


Chem Factsheet



January 2001

Number 07

Moles and Volumetric Analysis

To succeed with this topic, you need to be able to:

- Do basic moles and formulae calculations (see Factsheet No. 2 - Moles and Formulae)
- Use equations to calculate reacting amounts (see Factsheet No 3 - Moles and Equations).

After working through this Factsheet, you will understand:

- How moles are related to the term 'concentration' for solutions.
- The use of equations in calculating reacting volumes of solutions.
- The concept of 'percentage purity' when used in volumetric analysis (i.e. titration)

Exam Hint: Many candidates find volumetric analysis calculations frightening, and complain of not knowing where to start on the problems. To avoid being in this situation, you need to:

- ensure you learn the equation linking moles, volume and concentration, and can rearrange it as necessary.
- practise examples frequently, so you do not forget how to do it, working carefully through each step in the method.

Chemicals in solution

The amount of a chemical in a certain volume of solvent is called its **concentration**.

The concentration of a solution is the number of moles of the substance in 1 litre (= 1 dm³ or 1000 cm³).

Concentration in mol dm⁻³ is also called molarity.

It is measured in mol dm⁻³, which can also be written as M.

For example, 2 moles in 1000cm³ is a concentration of 2mol dm⁻³ or 2M

Calculations on Concentrations


The equation used is:-

$\text{moles} = \text{volume in dm}^3 \times \text{molarity}$

NB. The volume **must be in dm³**. If you are given a volume in cm³, **divide by 1000 to change it to dm³ before you start!**

As with many other equations in Chemistry, a "triangle" may help with rearranging this equation (see box).

Triangle for concentration formula



Cover up the thing in the triangle you want to find. Then, what you can see tells you the calculation to do. For example, if you want to find molarity, cover it up and you are left with moles/ volume

This equation can be used to find the moles, volume or molarity (M) as shown below.

eg 1. How many moles of NaOH are there in 250cm³ of a 0.1M solution?

First change the volume to dm³: 250cm³ = 0.25dm³

$$\begin{aligned}\text{Now use the formula: moles} &= \text{volume in dm}^3 \times \text{molarity} \\ &= 0.25 \times 0.1 \\ &= 0.025 \text{ moles}\end{aligned}$$

eg 2. What is the concentration in mol dm⁻³ of 0.5 moles of sodium chloride dissolved in 2 dm³ ?

The volume is already in dm³.

$$\begin{aligned}\text{Formula: molarity} &= \text{moles} \div \text{volume} \\ &= 0.5 \div 2 \\ &= 0.25 \text{ mol dm}^{-3}\end{aligned}$$

eg 3. What volume of water should 1.5 moles NaCl be dissolved in to produce a 0.5M solution?

$$\begin{aligned}\text{Formula: volume} &= \text{moles} \div \text{molarity} \\ &= 1.5 \div 0.5 \\ &= 3 \text{ dm}^3\end{aligned}$$

Questions involving Mass

Questions will often require you to find or use masses in molarity calculations. The rule is simple:

- If you are **given** a mass, change it to moles at the start, using $\text{moles} = \text{mass} \div M_r$
- If you have to **find** a mass, find moles first, then change to mass, using $\text{mass} = \text{moles} \times M_r$

eg 1. What mass of NaOH is present in 50cm³ of a 2M solution? (A_r values Na: 23 O:16 H:1)

We are asked to find a mass, so we first aim to find moles of NaOH.

We change the volume to dm³: 50cm³ = 0.05dm³

$$\begin{aligned}\text{Now use moles} &= \text{volume} \times \text{molarity} \\ &= 0.05 \times 2 = 0.1 \text{ moles}\end{aligned}$$

Now we find mass:

$$\begin{aligned}M_r &= 23 + 16 + 1 = 40. \\ \text{mass} &= \text{moles} \times M_r \\ &= 0.1 \times 40 = 4 \text{ g.}\end{aligned}$$

eg 2. What is the concentration in mol dm⁻³ of 49 g H₂SO₄ dissolved in 50 cm³? (A_r values S:32 O:16 H:1)

We are given a mass, so we change it into moles first:

$$\begin{aligned}M_r &= 2 + 32 + 64 = 98. \\ \text{moles} &= \text{mass} \div M_r \\ &= 49 \div 98 = 0.5\end{aligned}$$

Change the volume to dm³: 50cm³ = 0.05dm³

$$\begin{aligned}\text{Now use molarity} &= \text{moles} \div \text{volume} \\ &= 0.5 \div 0.05 = 10\text{M}\end{aligned}$$

eg 3. What volume of water must 5.85g NaCl be dissolved in to produce a 0.2M solution? (A_r values Na:23 Cl:35.5)

We are given a mass, so we change it into moles first:

$$M_r = 23 + 35.5 = 58.5$$

$$\text{moles} = \text{mass} \div M_r$$

$$= 5.85 \div 58.5 = 0.1$$

$$\text{Now use volume} = \text{moles} \div \text{molarity}$$

$$= 0.1 \div 0.2 = 0.5 \text{ dm}^3$$

All the work from now on depends on you being competent at these types of calculation! You should stop now and attempt questions 1-6 at the end of the Factsheet before carrying on - until you can answer them all with no errors, there is no point in attempting the harder work.

Volumetric Analysis Calculations (Titration Calculations)

In this section we will cover the type of volumetric calculations needed for AS level, and we begin with the method that you need to learn and use. However, before you start, make sure you are happy with the work in Factsheet 3 - Moles and Equations.

Step 1. Write the **balanced** equation for the reaction. (If you are not given it in the question).

Step 2. From the equation, find the mole ratio for the substances involved in the question.

Step 3. Convert any masses you are given into moles, and any volumes into dm^3

Step 4. Study the information in the question, and find the substance for which you are given **two pieces of information** (eg the volume and the concentration)

Step 5. For the substance in step 4, find its number of moles.


Step 6. Use the mole ratio (step 2) to work out the moles of the substance you are asked about.

Step 7. Go back to the question - **what have you got to find?** Use the information in step 6, together with the right equation, to find the mass or molarity or volume.

Worked examples using this method

The following three examples show you the method

eg 1. 25cm^3 of 0.1M NaOH reacts with 25cm^3 of H_2SO_4 . What is the molarity of the acid?



Step 2. NaOH: H_2SO_4 is 2:1

Step 3. no masses involved.
 25cm^3 is 0.025 dm^3

Step 4. We're given volume and molarity for NaOH

Step 5. moles of NaOH = molarity \times volume in dm^3
 $= 0.1 \times 0.025 = 0.0025$ moles

Step 6. moles of H_2SO_4 = moles of NaOH $\div 2 = 0.00125$

Step 7. We need molarity.
Use molarity = moles \div volume in dm^3
 $= 0.00125 \div 0.025 = 0.05\text{M}$

eg 2. What volume of 0.02M KMnO_4 solution is needed to react with 50cm^3 of 0.2M Fe^{2+} ? The equation for the reaction is:
 $\text{MnO}_4^- (\text{aq}) + 5\text{Fe}^{2+} (\text{aq}) + 8\text{H}^+ (\text{aq}) \rightarrow \text{Mn}^{2+} (\text{aq}) + 5\text{Fe}^{3+} (\text{aq}) + 4\text{H}_2\text{O} (\text{l})$

Step 1. equation given

Step 2. $\text{MnO}_4^- : \text{Fe}^{2+}$ is 1:5

Step 3. no masses involved.
 50cm^3 is 0.05 dm^3

Step 4. We're given both volume and molarity for Fe^{2+}


Step 5. moles of Fe^{2+} = molarity \times volume in dm^3
 $= 0.2 \times 0.05 = 0.01$ moles

Step 6. moles of MnO_4^- = moles of $\text{Fe}^{2+} \div 5 = 0.002$ moles

Step 7. We need volume.
Use volume = moles \div molarity
 $= 0.002 \div 0.02 = 0.1 \text{ dm}^3$

Tip: If in step 6 of the above examples you would have been unsure whether to multiply or divide, remember: the substance with the larger number in front of it in the equation has the higher number of moles.

eg 3. What is the concentration of a hydrochloric acid solution if 50cm^3 if it reacts exactly with 10g of calcium carbonate?
(A_r values Ca:40 O:16 C:12)



Step 2. $\text{CaCO}_3 : \text{HCl}$ is 1:2

Step 3. M_r for CaCO_3 is $40 + 12 + 48 = 100$
moles of CaCO_3 = mass $\div M_r$
 $= 10 \div 100 = 0.1$ moles
 50cm^3 is 0.05 dm^3

Step 4,5 not applicable

Step 6. moles of HCl = moles of $\text{CaCO}_3 \times 2 = 0.2$ moles

Step 7. We need molarity.
Use molarity = moles \div volume in dm^3
 $= 0.2 \div 0.05 = 4\text{M}$

Exam Hint: From these worked examples you will have seen how crucial the 'reacting ratio' is to obtaining the correct final answer. **However** - In the examination if you write an incorrect equation, so getting an incorrect ratio, you will **only lose 1 mark** if the rest of your steps are correct. **This is why it is vitally important that you show every step in your calculation!**

Equations

You are expected to know how to write equations for the following:

acid + alkali \rightarrow a salt + water

acid + base \rightarrow a salt + water

NB: alkalis and bases are metal oxides or hydroxides and ammonia

acid + carbonate \rightarrow a salt + water + carbon dioxide

acid + metal \rightarrow a salt + hydrogen

Other reaction equations will probably be given in the question.

Before you go on to the next section, you need to make sure you can use the basic method confidently and accurately. You should do question 7 at the end of the Factsheet before carrying on!

Percentage Purity

At AS Level the questions relate to solids which are 'impure'. This means the chemical is present and reacts but some of the solid is not the chemical so does not react.

The object of the calculation is to find the amount of pure chemical, which is put into the equation.

$$\text{percentage purity} = \frac{\text{mass of pure chemical (g)}}{\text{mass of starting material}} \times 100$$

The 'method' is slightly different and you should refer to the original method above as you look at each step.

Percentage Purity Method

Step 1. Write the **balanced** equation for the reaction. (If you are not given it in the question).

Step 2. From the equation, find the mole ratio for the substances involved in the question.

Step 3. Convert any volumes you are given into dm^3

Step 4. Find the substance for which you are given volume & molarity

Step 5. For the substance in step 4, find its number of moles.

Step 6. Use the mole ratio to work out the moles of **pure chemical**

Step 7. Turn step 6 moles into mass

Step 8. Use step 7 answer and the impure mass from the question to find percentage purity, using the equation above.

Now let's see how this works on a question:

eg. 2.00g of impure NaOH is titrated with 0.5M HCl, and 50cm^3 of the acid is used up in neutralising the sodium hydroxide.

What is the percentage purity of the original sodium hydroxide sample? (A_r values Na: 23 O:16 H:1)

Step 1. $\text{HCl} + \text{NaOH} \rightarrow \text{NaCl} + \text{H}_2\text{O}$

Step 2. HCl : NaOH is 1:1

Step 3. 50cm^3 is 0.05 dm^3

Step 4. We're given both for HCl

Step 5. moles of HCl = molarity \times volume in dm^3
 $= 0.5 \times 0.05 = 0.025$ moles

Step 6. moles of pure NaOH = 0.025

Step 7. M_r for NaOH = 23 + 16 + 1 = 40
 So mass of NaOH = moles $\times M_r$
 $= 0.025 \times 40 = 1\text{g}$

Step 8. % purity = $\frac{1}{2} \times 100 = 50\%$

Question 8 will give you some practice at percentage purity calculations.

Practice Questions

1. Calculate the number of moles present in each of the following:-

- a) 500cm^3 of 2M NaOH b) 25cm^3 of 1M H_2SO_4
 c) 100cm^3 of 0.5M KOH d) 2dm^3 of 0.25M HCl
 e) 30cm^3 of 0.3M KOH f) 200cm^3 of 0.1M HNO_3

2. Calculate the concentration of each of the following:-

- a) 2 moles in 2 dm^3 b) 0.2 moles in 1 dm^3
 c) 0.1 mole in 100cm^3 d) 1 mole in 10cm^3
 e) 0.25 moles in 250cm^3 f) 5 moles in 2 dm^3

3. What volume of liquid would be needed to produce the required concentration in each case?

- a) 2 moles to make 1 mol dm^{-3} b) 0.1 moles to make 1 mol dm^{-3}
 c) 5 moles to make 0.5 mol dm^{-3} d) 0.2 moles to make 2 mol dm^{-3}

4. Calculate the mass present in each of the following:-

- a) 500cm^3 of NaOH b) 1.5dm^3 of 2M KOH
 c) 100cm^3 of 1M H_2SO_4 d) 250cm^3 of 0.1M HNO_3

5. What is the concentration of each of the following?

- a) 3.65g HCl in 500cm^3 b) 4.0g NaOH in 100cm^3
 c) 63g HNO_3 in 250cm^3 d) 0.98g H_2SO_4 in 10cm^3

6. What volume of liquid must each of the following masses be dissolved in to produce the required concentration?

- a) 4g NaOH to make 1M b) 0.56g KOH to make 0.1M
 c) 49g H_2SO_4 to make 0.05M d) 5.85g NaCl to make 0.2M

7. a) 25cm^3 of 0.2M NaOH reacts with 50cm^3 of HCl.

What is the molarity of the acid?

b) 50cm^3 of 1M H_2SO_4 reacts with 50cm^3 of KOH solution

What is the molarity of the KOH solution?

c) 20cm^3 of 2M HNO_3 reacts with 10cm^3 of NaOH solution

What is the concentration of the NaOH solution?

d) 100cm^3 of 0.1M HCl reacts with 50cm^3 of $\text{Ca}(\text{OH})_2$ solution.

What is the molarity of the $\text{Ca}(\text{OH})_2$ solution?

e) 30cm^3 of 0.01M AgNO_3 solution reacts with 10cm^3 of AlCl_3 solution.

$3\text{AgNO}_3 + \text{AlCl}_3 \rightarrow 3\text{AgCl} + \text{Al}(\text{NO}_3)_3$

What is the molarity of the AlCl_3 solution?

f) The reaction between NaOH and H_3PO_4 is:

$\text{NaOH} + \text{H}_3\text{PO}_4 \rightarrow \text{NaH}_2\text{PO}_4 + \text{H}_2\text{O}$

What volume of 0.4M H_3PO_4 will react with 100cm^3 of 0.1M NaOH solution?

g) Barium chloride reacts with sulphuric acid according to the following equation: $\text{BaCl}_2 + \text{H}_2\text{SO}_4 \rightarrow \text{BaSO}_4 + 2\text{HCl}$

What volume of 0.02M BaCl_2 solution will react with 40cm^3 of 0.05M H_2SO_4 ?

h) What volume of 0.02M KMnO_4 solution will react with 20cm^3 of 0.1M $\text{Fe}^{2+}(\text{aq})$? The reaction is:-

$\text{MnO}_4^-(\text{aq}) + 5\text{Fe}^{2+}(\text{aq}) + 8\text{H}^+(\text{aq}) \rightarrow \text{Mn}^{2+}(\text{aq}) + 5\text{Fe}^{3+}(\text{aq}) + 4\text{H}_2\text{O}(\text{l})$

8. a) 2.50g of impure NaOH reacts with 25cm^3 of 2M HNO_3

What is the percentage purity of the NaOH?

b) 2.50g of impure iron reacts with 40cm^3 of 1M H_2SO_4 according to the equation: $\text{Fe} + \text{H}_2\text{SO}_4 \rightarrow \text{FeSO}_4 + \text{H}_2$

What is the percentage purity of the iron?

c) 50cm^3 of 0.1M HCl reacts with 1.00g of impure calcium carbonate, CaCO_3 . What is the percentage purity of the calcium carbonate?

Answers

1. a) 1 b) 0.025 c) 0.05 d) 0.5 e) 0.009 f) 0.05
 2. a) 1 b) 0.2 c) 1 d) 100 e) 1 f) 2.5
 3. a) 2000cm^3 b) 100cm^3 c) $10,000\text{cm}^3$ d) 100cm^3
 4. a) 20g b) 168g c) 9.8g d) 1.57g
 5. a) 0.2M b) 1M c) 4M d) 1M
 6. a) 100cm^3 b) 100cm^3 c) $10,000\text{cm}^3$ d) 500cm^3
 7. a) 0.1M b) 2M c) 4M d) 0.1M e) 0.01M
 f) 25cm^3 g) 25cm^3 h) 20cm^3
 8. a) 80% b) 89% c) 50%

Acknowledgements:

This Factsheet was researched and written by Sam Goodman and Kieron Heath
 Curriculum Press, Unit 305B, The Big Peg, 120 Vyse Street, Birmingham, B18 6NF
 ChemistryFactsheets may be copied free of charge by teaching staff or students, provided that their school is a registered subscriber. No part of these Factsheets may be reproduced, stored in a retrieval system, or transmitted, in any other form or by any other means, without the prior permission of the publisher. ISSN 1351-5136