Please write clearly in	ı block capitals.		
Centre number		Candidate number	
Surname			
Forename(s)			
Candidate signature			

A-level BIOLOGY

Paper 2

Specimen materials (set 2)

Materials

For this paper you must have:

- a ruler with millimetre measurements
- a scientific calculator, which you are expected to use where appropriate.

Instructions


- Use black ink or black ball-point pen.
- Fill in the boxes at the top of the page.
- Answer all questions.
- You must answer the questions in the spaces provided. Do not write outside the box around each page or on blank pages.
- All working must be shown.
- Do all rough work in this book. Cross through any work you do not want to be marked.

Information

- The marks for questions are shown in brackets.
- The maximum mark for this paper is 91.

Time allowed: 2 hours


For Exami	ner's Use
Question	Mark
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
TOTAL	



01.3	Calculate the actual distance between points A and B . Give your answer is micrometres (μ m).	n [1 mark]
	Answer =	μm
01.4	Figure 1 shows glycogen granules present in skeletal muscle.	
	Explain their role in skeletal muscle.	[2 marks]
0 1 . 5	During vigorous exercise, the pH of skeletal muscle tissue falls. This fall in to a reduction in the ability of calcium ions to stimulate muscle contraction.	pH leads
	Suggest how.	[3 marks]


0 2	Figure 2 shows a nerve pathway in an animal.
	Figure 2
	Figure 2 Muscle fibre Neuromuscular junction Cell body 3 Axon P Cell body 2 Synapse Cell body 1
02.1	The nerve pathway shown in Figure 2 may be regarded as a simple reflex arc. Use Figure 2 to explain why. [1 mark]
02.2	Suggest two advantages of simple reflexes. [2 marks] 1


02.3	In the nerve pathway in Figure 2 , synapses ensure that nerve impulses only travel towards the muscle fibre.
	Explain how. [2 marks]
02.4	Axon P was found to conduct impulses much faster than other axons in the nerve pathway shown in Figure 2 .
	Describe and explain one feature of axon P that might cause this difference. [2 marks]
	Turn over for the next question



03.1	Calculate the percentage decrease in yield caused by the use of Atrazine in study G . [1 mark]
03.2	Answer =% A teacher studying these data with her students told her class that no definite conclusions could be drawn when comparing the mean values in Figure 3 . Suggest why the teacher said this. [2 marks]
03.3	Atrazine binds to proteins in the electron transfer chain in chloroplasts of weeds,
	reducing the transfer of electrons down the chain. Explain how this reduces the rate of photosynthesis in weeds. [4 marks]

03.4	When treated with Atrazine, weeds have been shown to give off small among heat.	ounts of
	Suggest an explanation for this observation.	[1 mark]
		L





04.3	What is the evidence in Figure 4 that this person was secreting antidiuretic (ADH)?	c hormone
	Explain your answer.	[2 marks]
	Turn over for the next question	

0 5 . 1	Define what is meant by e	epigenetics.		[2 marks]
0 5 . 2	In eukaryotes, transcription specific transcriptional fact Oestrogen, methyl groups initiating transcription.	ctors move from the cy	toplasm into the nucleus	S.
	Complete Table 1 to show	w features of these cor	ntrol factors.	
	Put a tick (\checkmark) in the box if	the control factor show	ws the feature.	[2 marks]
		Table 1		
		-		
		Fe	ature	
	Control factor	Binds with DNA	Binds with protein	
	Oestrogen			
	Methyl groups			
	Acetyl groups			

0 5 . 3	Explain how increased methylation could lead to cancer.	[3 marks]
0 5 . 4	Give one way in which benign tumours differ from malignant tumours.	[1 mark]
	Turn over for the next question	

	shows how the following the		ns of Six	(animai	species	rouna in	the strea	am
		Та	ble 2					
Animal anagiaa	Animal species		Number of days after flooding 1 5 13 22 35 49 65					
Annai species			5 an nun	13 aber of c	22 Drganisr	35 15 / tho	49 usands	63 m ⁻³
Baetis quilleri		0.03	0.85	2.6	9.3	6.4	0.9	0.3
Leptohyphes pad	ckeri	0.0	0.0	0.25	2.5	17.3	18.0	29.5
Helicopsyche me	exicana	0.0	0.02	0.2	0.1	0.07	0.03	0.01
Cryptolabis para	doxa	0.0	13.3	21.3	55.8	62.9	168.7	182.6
Pentaneurini gut	tipennis	0.1	0.5	0.6	1.8	1.0	0.6	0.25
Micropsectra klin	nki	0.0	0.0	0.0	0.0	0.0	0.2	5.6
6 . 1 Explain h								[5 ma
6 . 1 Explain h								[5 mai
6 . 1 Explain h								[5 mai
6 . 1 Explain h								[5 mai
6 . 1 Explain h								[5 mai
6 . 1 Explain h								[5 mai
6 . 1 Explain h								[5 mai
6 . 1 Explain h								[5 mai
6 . 1 Explain h								[5 mai
6 . 1 Explain h								[5 mai
6 . 1 Explain h								[5 mai
6 . 1 Explain h								[5 mai


Γ

06.2	The populations of <i>Cryptolabis paradoxa</i> and <i>Leptohyphes packeri</i> both increased between days 13 and 63.
	Calculate how many times the population growth per day of <i>Cryptolabis paradoxa</i> is greater than that of <i>Leptohyphes packeri</i> between these days. [2 marks]
	Answer =
06.3	The stream eventually recovered to reach a climax community.
	Give two features of a climax community. [2 marks]
	1
	2
	Turn over for the next question


Г

0 7	People suffering from pituitary dwarfism do not make enough human growth hormone (HGH). They can be treated using injections of HGH.
	A geneticist wants to transform the bacterium, <i>Escherichia coli,</i> to make HGH by adding the gene coding for HGH.
	The geneticist could obtain the HGH gene using any one of three methods.
	 Use restriction enzymes to cut out a fragment of DNA containing the HGH gene from a human genome. Convert mDNA for HCH into cDNA using reverse transcriptions
	 Convert mRNA for HGH into cDNA using reverse transcriptase. Create the <i>HGH</i> gene using a 'gene machine'.
0 7 . 1	The geneticist decided not to use restriction enzymes to cut out a fragment of DNA containing the <i>HGH</i> gene from a human genome. She made this decision because only methods 2 and 3 would produce DNA that <i>E. coli</i> could use to make HGH.
	Explain why only methods 2 and 3 would produce DNA that <i>E. coli</i> could use to make HGH.
	[2 marks]
07.2	The geneticist concluded it would be faster to create the <i>HGH</i> gene using a gene machine than by using reverse transcriptase to convert mRNA for HGH into cDNA.
	Suggest why the geneticist reached this conclusion.
	[1 mark]


0 7 . 3	After obtaining copies of the <i>HGH</i> gene, the geneticist will attempt to insert them into plasmid vectors.
	Describe how the geneticist would attempt to insert copies of the <i>HGH</i> gene into these plasmids.
	[3 marks]
	[Extra space]
	Question 7 continues on the next page




0 7 . 5	Arabinose is a sugar that can bind to the araC protein.	
	Use information in Figure 5 to suggest why the geneticist must include arabinose in the agar on which she hopes to grow <i>E. coli</i> containing the transgenic plasmids. [2 marks]	
		_
	Turn over for the next question	



08.2	The scientists found that the insects moved for 94% of the time in the more humid side, but in the drier side they moved only 20% of the time. The scientists concluded that reduced movement in the drier side was an adaptation that reduced water loss. Use your knowledge of gas exchange in insects to explain how this behaviour would reduce water loss in the insects. [2 marks]
0 8 . 3	<i>Tenebrio molitor</i> has two antennae on its head. These are sense organs. The scientists found that one insect stopped when it reached the boundary between the two sides of the choice chamber and seemed to perform various movements with its antennae. The insect then moved to the drier side.
	This behaviour can be seen in Figure 7 . The points marked with a Q indicate where the insect showed this behaviour.
	Figure 7
	100% humidity
	What type of behaviour did the scientists conclude that the insect in Figure 7 was showing? [1 mark]





ng suitable symbols, give the genotypes of the parents.
blain your answer. [2 marks]
notypes
planation
e ratio of bar-eyed flies and round-eyed flies in the student's results were not the ne as the ratio she had expected.
at ratio of bar-eyed to round-eyed flies was the student expecting? [1 mark]
ggest two reasons why observed ratios are often not the same as expected os. [2 marks]
e student wished to test her results with the ones she had expected. ich statistical test should she use? [1 mark]

09.5	This fruit fly has another characteristic controlled by a pair of codominant alleles, W^{N} and $W^{\text{V}}.$
	What is meant by codominant alleles? [1 mark]
09.6	There were 850 fruit flies in one population. In this population, 510 fruit flies had the genotype $W^N W^V$, 255 had the genotype $W^N W^V$ and 85 had the genotype $W^V W^V$.
	Calculate the actual frequency of the allele W^{\vee} . Do not use the Hardy-Weinberg equation in your calculation.
	[1 mark]
	Answer =
09.7	In another population of 950 fruit flies, the frequency of the W^{\vee} allele was 0.2.
	Use the Hardy-Weinberg equation to calculate the number of insects that would be expected to have the genotype $W^N W^V$.
	[2 marks]
	Answer =
	Turn over for the next question

10.1	Read the following passage.	
	Plants require phosphate ions that they get from soil. These ions are often in poor supply and this results in poor growth of the plants. Most plants have mycorrhizae that help the plants to obtain nitrates. Mycorrhizal networks can connect the roots of plants growing next to each other. The use of fertilisers containing phosphate and nitrates in farming inhibits the growth of mycorrhizae. As a result, intensively farmed crop plants do not have mycorrhizae.	5
	Plants can defend themselves by producing defensive enzymes that destroy pathogens such as bacteria. Some plants express the genes for defensive enzymes in response to signal proteins secreted by other plants that are being attacked by a pathogen. These signal proteins can be released into the air.	10
	Scientists have discovered that tomato plants increase production of defensive enzymes if plants next to them become infected with a pathogen. These tomato plants were connected by a mycorrhizal network that can carry signal proteins between them. The largest increase in defensive enzyme secretion that the scientists found in a tomato plant in response to the signal protein was by 122.6 per cent.	15
	Use the information in the passage and your own knowledge to answer the following questions.	
10.1		n I arks]
	1	
	2	
10.2	Suggest how defensive enzymes produced by plants destroy bacteria (lines 8–9 [2 m). arks]

Г

10.3	The signal proteins secreted into the air by a plant being attacked by a pathogen act as stimuli leading to the expression of genes for defensive enzymes in other plants (lines 9–11).
	Suggest how they lead to the expression of these genes. [3 marks]
10.4	Suggest and explain the advantage to tomato plants of transmitting signal proteins through mycorrhizal networks, rather than releasing them into the air (line 11 and lines 13–15). [2 marks]
10.5	The largest increase in defensive enzyme secretion that the scientists found in a tomato plant in response to the signal protein was by 122.6 percent (lines 16–17).
	The rate of secretion of the defensive enzymes before the signal protein was produced was 450 μ mol dm ⁻³ g ⁻¹ hour ⁻¹ .
	Calculate the rate of secretion per second after the response to the signal protein. [2 marks]
	Answer = μ mol dm ⁻³ g ⁻¹ second ⁻¹

1 0 . 6	A student who read this passage concluded that farmers should not use fertilisers to increase yields when growing tomato plants.
	Evaluate his conclusion. [4 marks]
	END OF QUESTIONS
Acknowledgement of o	copyright holders and publishers
Permission to reprodu will be happy to rectify	ce all copyright material has been applied for. In some cases, efforts to contact copyright holders have been unsuccessful and AQA any omissions of acknowledgements in future papers if notified.
Copyright © 2016 AQA	A and its licensors. All rights reserved.